



Faculty of Archaeology

Egyptology Department



**The “4.2 kya climate event” (ca. 2200 - 2050 BC)
and its impacts on Egypt:
An integrated geological and archaeological study**

Master Thesis for obtaining the Master Degree in Environmental Archaeology
(Joint MA program between Cairo University and Cologne University)

Submitted by:

Mohamed Ahmed Abdelmomen Younes

Under supervision of:

Prof. Dr. Aboualhasan Mahmoud Bakry

Professor of Prehistory
Faculty of Archaeology, Cairo University

Prof. Dr. Fekri Hassan

Director of Cultural Heritage program
French University in Egypt
Professor of Archaeology
University College London, England

Prof. Dr. Olaf Bubbenzer

Professor of Geomorphology
Geography Institute,
Heidelberg University, Germany

Cairo – 2021

Acknowledgments

I am especially indebted to Prof. Dr. Aboualhasan Bakry who has been scientifically and personally supportive and helped me overcome all obstacles. He has been a supervisor and an older brother.

I would like to thank Prof. Dr. Fekri Hassan who has helped me form new insights into the thesis subject, and whose articles on the 4.2 ka event were essential references for the thesis.

I would like to thank Prof. Dr. Olaf Bubbenzer for his great support and providing me with recent references.

I exert my gratitude to Prof. Dr. Mohamed Hamdan, for providing me with a lot of data and references, as well as his acceptance to be a member of the Defense Committee.

I am grateful to Dr. Tarek Tawfik for his acceptance to be a member of the Defense Committee and for his valuable notes which enriched the study.

I acknowledge the "Saqqara Geology Team", led by prof. Fekri Hassan and prof. Mohamed Hamadan, for the courtesy to reproduce the data of their work at Dahshur.

Thanks to the useful advices of my professors and doctors at Cairo University, especially Prof. Mostafa Atallah, Dr. Eman Khalifa, Dr. Zakia Zaki, Dr. Anwar Selim, Dr. Khaled Hassan, Dr. Tamer Gad, and Prof. Rim Hamdy.

I appreciate the support and advices of Dr. Rudolph Kuper and Dr. Birgit Keding from the University of Cologne, Germany.

I thank the German Academic Exchange Service (DAAD) for supporting the interdisciplinary Master's program "Environmental Archaeology" at Cairo University.

I give a special 'Thank you' to my beloved mother for her constant support and encouragement.

I'd like to extend my gratitude to all my family and friends for their encouragement.

Table of Contents

1. Introduction	1
1.1. Significance and purpose of research	2
1.2. Research questions	3
1.3. Aims of Research	3
1.4. Time Span	4
1.5. Research Methodology	6
1.6. Literature Review	7
2. The 4.2 kya climate event in the Ancient World	11
2.1. The 4.2 kya event in the context of climate events	11
2.2. Evidence for the 4.2 kya event in different regions of the Ancient World (Africa, Asia, Europe, North America, and South America)	13
2.3. Suggested reasons for the 4.2 climate event	18
2.4. The influence of the regional and global environmental changes on Egypt	18
3. Geoarchaeological evidence of the 4.2 kya climate event in Egypt	21
3.1. Methods of geoarchaeological analysis	21
3.2. Previous geoarchaeological works in Egyptian sites.....	26
3.2.1. Saqqara	27
3.2.2. Lake Faiyum	37
3.2.3. Nile Delta	46
3.3. Unpublished geoarchaeological work at Dahshur	52
3.4. Interpretation of the results of geoarchaeological works (regarding the environmental impacts of the 4.2 kya event)	62
4. Archaeological evidence of the 4.2 kya climate event in Egypt	67
4.1. Textual evidence	67
4.1.1. Analysis of the FIP autobiographies.....	67
4.1.2. Concluding remarks on the FIP autobiographies.....	91
4.1.3. Analysis of the literary texts.....	94

4.2. Iconographic evidence	104
4.2.1. Desert-hunt or desert-landscape scenes	104
4.2.2. Agriculture scences	109
4.2.3. Gardening and Orchard scenes	111
4.2.4. Fishing scenes	111
4.2.5. Workshop activities	113
4.3. Settlement evidence	115
4.3.1. The abandonment of settlements in the Memphite region	115
4.3.2. Lack of archaeological data for settlements in Middle Egypt	118
4.3.3. Upper Egypt	119
4.3.4. Dakhla oasis	124
4.3.5. Interpretation of the settlement changes in the FIP	126
5. Bioarchaeological evidence of the 4.2 kya climate event in Egypt	130
5.1. Introductory note	130
5.2. Bioarchaeology and environmental context	131
5.3. Bioarchaeological studies on the FIP human remains	132
5.3.1. Identifying the common diseases in the FIP	132
5.3.2. Reconstructing the paleodiet during the FIP	134
5.4. The integration of the bioarchaeological and textual evidence	135
6. Discussion	137
6.1. The integration of archaeological, geoarchaeological, and bioarchaeological evidence of the 4.2 kya climate event in Egypt.....	137
6.2. The role of 4.2 kya climate event in the collapse of the Old Kingdom	139
6.2.1. The political interpretation for the collapse of the OK.....	139
6.2.2. The environmental interpretation for the collapse of the OK (the impacts of the 4.2 kya climate event)	140
6.2.3. The 4.2 kya event as a “compound event”	143
6.3. Learning from the crisis in the FIP and the MK	144
7. Summary and Conclusions	147
Bibliography.....	153
Arabic Summary	

List of Figures

Figure	Page
Fig. 1: Climate-controlled occupation in the Eastern Sahara during the main phases of the Holocene (after: Kuper and Kröpelin, 2006, fig. 3)	12
Fig. 2: World map showing main locations reported to be exceptionally dry or exceptionally wet during the 4.2 ka event (after: Railsback et al. 2018, fig. 1)	18
Fig. 3: Map showing the locations of the main Egyptian which have been subject to geoarchaeological works (by the researcher, using Google Earth)	25
Fig. 4: Locations of the drilled cores in Saqqara-Memphis floodplain area; after: (Hassan, 2017, fig. 1).....	28
Fig. 5: Lithostratigraphy of Holocene sediment cores from the floodplain of Saqqara-Memphis area (SAQA 1, 2, 3, 6, 18, 21, 22) (after: Hassan et al. 2017, fig. 2)	29
Fig. 6: Lithostratigraphy of Core SAQA 22 at the Saqqara-Memphis floodplain area showing the soil types at the different periods (after: Hamdan et al. 2019, fig.2)	31
Fig. 7: Distribution of major and trace elements in the studied floodplain sediments at core SAQA22 using XRF; after: (Hamdan et al. 2019, fig. 7)	32
Fig. 8: Pollen profiles of Units III and IV in core SAQA 22 (after: Hamdan et al. 2018, fig. 9)	33
Fig. 9: Evolution of Saqqara-Memphis floodplain through the Holocene, showing major aggradation and degradation occurrences (after: Hassan et al. 2007, fig. 6)	34
Fig. 10: Fluvial history of Nile floodplain sediments of Saqqara-Memphis area (after: Hassan et al. 2017, fig. 7)	35
Fig. 11: Environmental history of West Saqqara area (after: Welc and Marks 2014, fig. 4)....	37
Fig. 12: Map of the Faiyum Depression showing locations of samples collected and studied by Faiyum by Hassan et al. (2012, fig. 1).....	40
Fig. 13: The temporal variation in $\delta^{18}O$ values in the Holocene Faiyum freshwater shells. compared with the variations in lake levels based on geoarchaeological data (after: Hassan et al. 2012, fig. 184)	41
Fig. 14: The Faiyum Lake level and distribution of $\delta^{18}O$ of freshwater shells of core QAUR9 (after: Hamdan et al. 2016, fig. 6)	42
Fig. 15: Geochemical characteristics of the sediments of core QAUR9 at Faiyum Lake (after: Hamdan et al. 2016, fig. 7)	43

Fig. 16: Diagram of the ratios of stained rounded quartz to transparent angular quartz in core (FA-1) in the Faiyum Basin, in relation to the level of the Faiyum Lake and its sedimentation rate, as well a reconstruction of the ITCZ position (after: Zhao et al. 2017, fig. 5)	44
Fig. 17: Map showing the locations for five sediment cores from Nile delta (modified after: Stanley et al. 2003, fig. 1d; Bernhardt et al. 2012, fig. 1; Pennington et al. 2019, fig. 2)	46
Fig. 18: Depth profile of $^{87}\text{Sr}/^{86}\text{Sr}$ and Ti/Al ratios from core S-21 at Lake Manzala in Nile Delta; (after: Stanely et al. 2003, fig. 2).....	48
Fig. 19: Depth profile of Strontium isotope ($^{87}\text{Sr}/^{86}\text{Sr}$) from core S-21 in the Nile delta at Lake Manzala with interpretation of changes in paleoclimate (after: Stanley et al. 2003, fig 2)	49
Fig. 20: Pollen diagram for core S-53 at the Brullus Lagoon (after: Bernhardt et al. 2012, fig. 3)	50
Fig. 21: Ca/Ti records of core AW28 at Kom al-Ahmer/ Kom Wasit, showing a peak around 4200- 4000 cal BP; that is an indicator of aeolian sand encroachment and hyper-aridity (after: Pennington et al. 2019, fig. 2a)	51
Fig. 22: Location of Dahshur (by the researcher, using Google Earth)	52
Fig. 23: The plan of the Dahshur pyramid zone (after: Lehner, 1997, p. 101)	53
Fig. 24: Map showing the locations of drill-cores (DASH 1, 2, 3) in Dahshur (by the researcher, using Google Earth)	54
Fig. 25: Photo showing coring at Dahshur site, in the area between Lake Dahshur and the black pyramid of Amenehmet III	54
Fig. 26: Lithostratigraphy of core DASH 1 drilled in Dahshur (courtesy of the Saqqara Geology Team)	55
Fig. 27: Lithostratigraphy of core DASH 2 drilled in Dahshur (courtesy of the Saqqara Geology Team)	56
Fig. 28: Lithostratigraphy of core DASH 3 drilled in Dahshur (courtesy of the Saqqara Geology Team)	59
Fig. 29a: Reconstruction of a scene depicting granaries, from Anthtifi's tomb, 9 th dynasty (after: Vandier 1950, fig. 55)	76
Fig. 29b: Reconstruction of a scene depicting granaries, from Sobekhotep's tomb, 8 th dynasty (after: Vandier 1950, fig. 97)	76

Fig. 30a: Desert-hunt scene from the tomb of Ramaka at Saqqara, middle 5 th dynasty (after: Hayes, 1953, fig. 56)	105
Fig. 30b: Desert-hunt scene from the tomb of Mereruka at Saqqara, early 6 th dynasty (after: Duell, 1938, pl. 24)	105
Fig. 31: Facsimile of two desert-hunt scenes from in the tomb of Ankhtifi at Mo'alla (after: Vandier 1950, fig. 45- 46)	107
Fig. 32: Desert-hunt scene from the tomb of Iti-ibi- Iqer at Asyut, depicting a Nubian hunter (after: El-Khadragy, 2007, fig.5)	107
Fig. 33: Two desert-hunt scenes from private tombs dating to the MK; (A) from the tomb of Khety in Beni Hassan (after: meketre.org); (B) from the tomb of Djehutyhotep II in Deir el- Bersha (after: Newberry and Fraser, 1985, pl. VII)	108
Fig. 34: Tree agriculture scenes from private tombs dating to Ok, FIP and MK: (A) the OK (after: Van de Walle, 1978, pl. 12); (B) the FIP (after: Vandier 1950, pl. XXXII); (C) the MK (after: Newberry, 1983 I, pl. XI)	110
Fig. 35a: Fishing scene from the tomb of Ankhtifi (after: Vandier 1950, pl. XL)	113
Fig. 35b: Scene from the tomb of Ankhtifi depicting two enormous fish of the species “Citharinus citharus” (after: Vandier 1950, pl. XVIII)	113
Fig. 36: Location map of the main Egyptian sites which have been subject to the studies of Settlement Archaeology (by researcher, using Google Earth).....	115
Fig. 37: Map showing the major sites in the Memphite Necropolis (after: Bebermeier et al. 2011, fig. 1)	116
Fig. 38: Three sections of grain silos in the site of Edfu, from the late OK and the FIP, discover by the “Tell Edfu Project” (after: Moeller and Marouard, 2014, fig. 3)..	121
Fig. 39: Illustrative picture of the Linear Enamel Hypoplasia (after: Anjum et al. 2012, fig. 1)	133

List of Tables

Table	Page
Table 1: The dating of the First Intermediate Period according to three recent studies....	5
Table 2 a: The grain size of sub-samples from core DASH 2 (courtesy of the Saqqara Geology Team)	57
Table 2 b: Contents of sediments (plant remains, freshwater shells, pottery, charcoal, etc.) in core DASH 2 (courtesy of the Saqqara Geology Team)	57
Table 3 a: The grain size of sub-samples from core DASH 3 (courtesy of the Saqqara Geology Team)	60
Table 3 b: Contents of sediments (plant remains, freshwater shells, pottery, charcoal, etc.) in core DASH 3 (courtesy of the Saqqara Geology Team)	60
Table 4: List of FIP autobiographies referring to environmental changes, drought and hunger (by the researcher)	69
Table 5: Classification of the FIP autobiographies according to dynasty, owner's position and his province, and most important expressions (by the researcher)	91
Table 6: Expressions referring to environmental phenomena, drought and hunger in FIP autobiographical texts (by the researcher).....	92